

Emergency One Inc. Base Model Summaries

PUMPER MODELS

C023 Commercial Chassis Pumper

E-One side mount pumper with 500 gallon poly water tank, Hale 1250 gpm pump and extruded aluminum body mounted on a 2-door International, 35,000# GVWR chassis.

C023 Typhoon Chassis Custom Pumper

E-One Typhoon 4-door custom tilt cab side mount pumper with Cummins 330 HP ISC engine, Allison EVS 3000 transmission, 500 gallon poly water tank, Hale QFLO 1250 gpm pump and extruded aluminum body. Popular options include top mount pump controls and higher capacity water tanks.

C400 Rescue Pumper

E-One custom rescue pumper with 500-gallon poly water tank, Hale QFLO 1250 gpm pump, and spacious compartments with an extruded aluminum body. A 40,000 pound GVW Typhoon tilt cab chassis with 330 horsepower Cummins ISC diesel engine and an Allison EVS 3000 transmission are provided.

Glider Kit Pumper

The glider kit pumper requires the customer to provide E-One with an existing apparatus in good mechanical condition. The engine, transmission, and pump from this unit are removed and installed into an otherwise new apparatus. The unit will be titled as a "new" vehicle. This program allows the customer to realize greater savings on new purchases by reinstalling components that are in good condition. Contact E-One for application approval and additional information on this program.

BRUSH TRUCKS

Jack Rabbit

The Jackrabbit, mounted on an Ford F550 chassis, includes a 340 or 300 gallon water tank, 26 diesel pump engine, booster reel with hose, rear pump controls panel and an extruded aluminum body with high angle of departure.

Models include units built with and without a foam system. Delivery to the closest E-One dealer or US port is included in base price. Foam systems are an available option.

TANKERS

D205 2,500 Gallon Custom Chassis Tanker

E-One Cyclone 4-door custom cab tanker with Cummins 400 HP ISM, Allison HD-4060, 2500 gallon poly water tank, Newton dump, Hale QFLO 1500 gpm pump and extruded body.

AERIALS

HP 75' "Side Stacker" Aerial Quint

E-One's Cyclone II 4-door custom cab, high performance 75' aerial ladder with waterway and 1000 gpm monitor, Cummins 400 HP ISL engine, Jacobs brake, Allison EVS3000 transmission, 500 gallon poly water tank, Hale QMAX 1500 gpm pump and extruded aluminum body. This unique body design allows removal of hose without lifting of the aerial. Extensive compartmentation is included.

HM100 (100') Aerial Ladder with Pump System

One Cyclone II medium 4-door custom tilt cab, 100' aerial ladder with waterway and 1000 gpm monitor, Cummins ISL 400 BHP engine, Allison EVS3000 transmission, QMAX 1500 GPM pump, and extruded aluminum body.

J016 50' Teleboom Pumper

E-One Cyclone II 4-door cab, 50' Tele-Boom with waterway and 1000 gpm monitor, Cummins ISC 350 BHP, Allison EVS3000 transmission, 500 gallon poly water tank, Hale QFLO 1250 gpm pump and extruded aluminum body.

L095 92' Aerial Platform

E-One Cyclone II 4-door custom cab, 92' aerial platform with waterway and 1000 gpm monitor, Cummins ISL 400 BHP engine, engine brake, Allison EVS 3000 transmission, 300 gallon poly water tank, Hale QMAX 1500 gpm pump and extruded aluminum body.

L105 103' Aerial Platform

E-One low profile Hurricane 4-door custom cab, 103' aerial platform with waterway and 1000 gpm monitor, Cummins ISM 450 BHP, Allison EVS4000 automatic transmission, 150 gallon poly water tank, Hi-side compartments, Hale QMAX 1500 gpm pump and extruded aluminum body.

RESCUES

A265 Walk-In

E-One's extruded aluminum 14' walk-in rescue body mounted on a 31,000-pound gvwr International 2-door chassis.

A285 Walk-In

E-One's extruded aluminum cab and 16' walk-in body, rescue and haz-mat vehicle features a Cyclone II chassis with a Cummins ISC 330 horsepower engine and an Allison EVS 3000 transmission. Ample compartment space is provided for rescue and fire-fighting equipment.

A445 Non Walk-In Rescue

E-One extruded aluminum 16' hazmat/rescue equipment body mounted on an International 4-door, 35,000# GVWR chassis with a 300 horsepower engine.

AIRPORT RESCUE FIREFIGHTING VEHICLES

HPR 4x4 1,500 Gallon Independent Suspension ARFF Vehicle

E-One's 4x4 high performance ARFF vehicle features independent suspension for high speed off-road capability, Series 60 (665 horsepower) engine, Twin-Disc automatic transmission, 1585 gallon poly water tank, 205 gallon poly foam tank, Hale 1500 gpm pump, 375/750 manual roof turret, and extruded aluminum body.

HPR 6x6 3,000 Gallon Independent Suspension ARFF Vehicle

E-One's 6x6 high performance ARFF vehicle features independent suspension for high speed off-road capability, Series 60 (665 horsepower) engine, Twin-Disc automatic transmission, 3,000 gallon poly water tank, 404 gallon poly foam tank, Hale 1500 gpm pump, 600/1200 manual roof turret, and extruded aluminum body.